


POWERMITE

SHARPS
Est. 1967
ELECTRICAL



AMPCO



**INDUSTRIAL
PLUGS and SOCKETS
SELECTION CHART**





























Securing your portable connection

a member of the **Hudaco** group














															
Conforms to IEC 60309-1&2 and RoHS-Directive 2011/65/EU Material POLYIMIDE 6 & PC/ABS Excellent Impact Resistance Rigidity & Abrasion Resistance. High Thermal stability. Self Extinguishing. UV Resistance to according to ISO 4892-2				PLUGS	PLUGS	ANGLED PLUG	ANGLED PLUG	COUPLER	COUPLER	FLANGED PANEL MOUNT STRAIGHT OUTLET	FLANGED PANEL MOUNT STRAIGHT OUTLET	FLANGED PANEL MOUNT 20 DEG ANGLED OUTLET	FLANGED PANEL MOUNT 20 DEG ANGLED OUTLET	FLANGED PANEL MOUNT STRAIGHT APPLIANCE INLET	FLANGED PANEL MOUNT STRAIGHT APPLIANCE INLET
Rated Current	No of Poles	Rated Voltage	Hour h	IP44	IP66/67	IP44	IP66/67	IP44	IP66/67	IP44	IP66/67	IP44	IP66/67	IP44	IP66/67
16A	2P+E	230V	6	A013-6	A0132-6	A8013-6	A80132-6	A213-6	A2132-6	A313-6f7	A3132-6	A413-6f8	A4132-6f8	A613-6	A6132-6
	3P+E		9	A014-9	A0142-9	A8014-9	A80142-9	A214-9	A2142-9	A314-9f7	A3142-9	A414-9f8	A4142-9f8	A614-9	A6142-9
	3P+N+E		9	A015-9	A0152-9	A8015-9	A80152-9	A215-9	A2152-9	A315-9f7	A3152-9	A415-9	A4152-9f78	A615-9	A6152-9
	3P+E	400V	6	A014-6	A0142-6	A8014-6	A80142-6	A214-6	A2142-6	A314-6f7	A3142-6	A414-6f8	A4142-6f8	A614-6	A6142-6
	3P+N+E		6	A015-6	A0152-6	A8015-6	A80152-6	A215-6	A2152-6	A315-6f7	A3152-6	A415-6	A4152-6f78	A615-6	A6152-6
	3P+E		7	A014-7	A0142-7	A8014-7	A80142-7	A214-7	A2142-7	A314-7f7	A3142-7	A414-7f8	A4142-7f8	A614-7	A6142-7
32A	2P+E	230V	6	A023-6	A0132-6	A8023-6	A80232-6	A223-6	A2232-6	A323-6f7	A3232-6	A423-6	A4232-6f78	A623-6	A6232-6
	3P+E		9	A024-9	A0142-6	A8024-9	A80242-9	A224-9	A2242-9	A324-9f7	A3242-9	A424-9	A4242-9f78	A624-9	A6242-9
	3P+N+E		9	A025-9	A0152-6	A8025-6	A80252-9	A225-9	A2252-9	A325-9f7	A3252-9	A425-9	A4252-9f78	A625-9	A6252-9
	3P+E	400V	6	A024-6	A0242-6	A8024-6	A80242-6	A224-6	A2242-6	A324-6f7	A3242-6	A424-6	A4242-6f78	A624-6	A6242-6
	3P+N+E		6	A025-6	A0252-6	A8025-6	A80252-6	A225-6	A2252-6	A325-6f7	A3252-6	A425-6	A4252-6f78	A625-6	A6252-6
	3P+E Container		3	NA	A0424-3v	NA	NA	NA	A2242-3v	NA	A3242-3v	NA	A4242-3f78v	NA	NA
	3P+E	500V	7	A024-7	A0242-7	A8024-7	A80242-7	A224-7	A2242-7	A324-7f7	A3242-7	A424-7	A4242-7f78	A624-7	A6242-7
63A Pilot Pin Included	2P+E	230V	6	A0331-6	A033-6	NA	NA	A23351-6	A2335-6	A33351-6	A3335-6	A43351-6	A4335-6	A6331-6k	A633-6
	3P+E		9	A0341-9	A034-6	NA	NA	A23451-9	A2345-9	A33451-9	A3345-9	A43451-9	A4345-9	A6341-9k	A634-9
	3P+N+E		9	A0351-9	A035-9	NA	NA	A23551-9	A2355-9	A33551-9	A3355-9	A43551-9	A4355-9	A6351-9k	A635-9
	3P+E	400V	6	A0341-6	A034-6	NA	NA	A23451-6	A2345-6	A33451-6	A3345-6	A43451-6	A4345-6	A6341-6k	A634-6
	3P+N+E		6	A0351-6	A035-6	NA	NA	A23551-6	A2355-6	A33551-6	A3355-6	A43551-6	A4355-6	A6351-6k	A635-6
	3P+E		7	A0341-7	A034-7	NA	NA	A23451-7	A2345-7	A33451-7	A3345-7	A43451-7	A4345-7	A6341-7k	A634-7

														
Conforms to IEC 60309-1&2 and RoHS-Directive 2011/65/EU Material POLYIMIDE 6 & PC/ABS Excellent Impact Resistance Rigidity & Abrasion Resistance. High Thermal stability. Self Extinguishing. UV Resistance to according to ISO 4892-2				PLUGS	COUPLER	FLANGED PANEL MOUNT STRAIGHT OUTLET	FLANGED PANEL MOUNT 15 DEG ANGLED OUTLET	FLANGED PANEL MOUNT STRAIGHT APPLIANCE INLET	FLANGED PANEL MOUNT ANGLED APPLIANCE INLET	WALL SOCKET UNSWITCHED WITH PILOT PIN	125 AMP DUAL INTERLOCKED SSO 9 SERIES	125 AMP DUAL INTERLOCKED SSO 9 SERIES WITH PILOT	DUAL INTERLOCKED SSO 9 SERIES WITH PILOT & ELECTRICAL INTERLOCKED	DUAL INTERLOCKED SSO 9 SERIES WITH PILOT ELECTRICAL & INTERLOCKED
Rated Current	No of Poles	Rated Voltage	Hour h	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67
125A Pilot Pin Included	3P+E	400V	6	A044-6	A2445-6	A3445-6	A4445-6	A644-6	A744-6	A1445-6	A9755099	A9755112	NA	NA
	3P+N+E		6	A045-6	A2455-6	A3455-6	A4455-6	A645-6	A745-6	A1455-6	A9755100	A9755111	A9029100	A9754100
	3P+E	500V	7	A044-7	A2445-7	A3445-7	A4445-7	A644-7	A744-7	A1445-7	A9755098	NA	NA	A9754101

													
FLANGED PANEL MOUNT ANGLED APPLIANCE INLET	FLANGED WALL MOUNT ANGLED APPLIANCE INLET	FLANGED WALL MOUNT ANGLED APPLIANCE INLET	WALL SOCKET 15 Deg	WALL SOCKET 15 DEG	WALL SOCKET WITH PILOT PIN	WALL SOCKET WITH PILOT PIN	ECONO RANGE SSO DUAL INTERLOCKED	ECONO RANGE SSO DUAL INTERLOCKED	ECONO RANGE SSO & INTERGRATED MCB	ECONO RANGE SSO & INTERGRATED EARTH LEAKAGE	ECONO RANGE SSO & INTERGRATED EARTH LEAKAGE	ECONO RANGE SSO & INTERGRATED EARTH LEAKAGE & MCB	CONTAINER DUAL INTERLOCKED SSO CLEAR LID WITH INDICATION
IP66/67	IP44	IP66/67	IP44	IP66/67	IP66/67	IP66/67	IP44	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67	IP66/67
NA	A77713-6	NA	A113-6	A1132-6	NA	NA	A3001	A0617	NA	NA	NA	NA	NA
NA	A77714-9	NA	A114-9	A1142-9	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	A77715-9	NA	A115-9	A1152-9	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	A77714-6	NA	A114-6	A1142-6	NA	NA	A3002	A0620	NA	NA	NA	NA	NA
NA	A77715-6	NA	A115-6	A1152-6	NA	NA	A3004	A0619	NA	NA	NA	NA	NA
NA	A72214-7	NA	A114-7	A1142-7	NA	NA	A3003	A0622	NA	NA	NA	NA	NA
NA	A77723-6	NA	A123-6	A1232-6	NA	NA	A3006	A0642	NA	NA	NA	NA	NA
NA	A77724-9	NA	A124-9	A1242-9	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	A77725-9	NA	A125-9	A1252-9	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	A77724-6	NA	A124-6	A1242-6	NA	NA	A3007	A0621	NA	NA	NA	NA	NA
NA	A77725-6	NA	A125-6	A1252-6	NA	NA	A3009	A0613	NA	NA	NA	NA	NA
NA	NA	NA	Container	A1242-3v	NA	NA	NA	NA	NA	NA	NA	NA	A0672
NA	A77724-7	NA	A124-7	A1242-7	NA	NA	A3008	A0665	NA	NA	NA	NA	NA
A733-6	NA	A77733-6k	NA	NA	A1335-6	A13375-6	NA	NA	NA	NA	NA	NA	NA
A734-9	NA	A77734-9k	NA	NA	A1345-9	A13475-9	NA	NA	NA	NA	NA	NA	NA
A735-9	NA	A77735-9k	NA	NA	A1355-9	A13575-9	NA	NA	NA	NA	NA	NA	NA
A734-6	NA	A77734-6k	NA	NA	A1345-6	A13475-6	NA	A3101	A3105	A3125	A3108	NA	NA
A735-6	NA	A77735-6k	NA	NA	A1355-6	A13575-6	NA	A3102	A3106	A3127	A3109	NA	NA
A734-7	NA	A77734-7k	NA	NA	A1345-7	A13475-7	NA	A3103	A3107	A3126	A3110	NA	NA

		<p style="text-align: center;">AMPCO</p> <p>Applications: Star Delta Motor Connection. Tapped Winding Connections. Monitoring. Controlling. Indicating. Electrical Interlocking.</p>												
PLUG EVENT BLACK	COUPLER EVENT BLACK				PLUG 7 PIN	PLUG 7 PIN	COUPLER 7 PIN	COUPLER 7 PIN	ANGLED COUPLER 7 PIN	ANGLED COUPLER 7 PIN	FLANGED PANEL MOUNT INLET 7PIN	FLANGED PANEL MOUNT INLET 7PIN	WALL MOUNT INLET 7 PIN	WALL MOUNT INLET 7 PIN
IP66/67	IP66/67	Rated Current	No of Poles	Rated Voltage	IP44	IP66/67	IP44	IP66/67	IP44	IP66/67	IP44	IP44	IP66/67	IP44
A044-6xs	A2445-6xs	16A	7P	230V	A017-9v	A0172-9v	A217-9v	A2172-9v	A8217-9v	A82172-9v	A617-9v	A6172-9v	A517-9v	A5172-9kv
A045-6xs	A2455-6xs	16A	7P	400V	A017-6v	A0172-6v	A217-6v	A2172-6v	A8217-6v	A82172-6v	A617-6v	A6172-6v	A517-6v	A5172-6kv
NA	NA	16A	7P	500V	A017-7v	A0172-7v	A217-7v	A2172-7v	A8217-7v	A82172-7v	A617-7v	A6172-7v	A517-7v	A5172-7kv
		32A	7P	230V	A027-9v	A0272-9v	A227-9v	A2272-9v	A8227-9v	A82272-9v	A627-9v	A6272-9v	A527-9v	A5272-9kv
		32A	7P	400V	A027-6v	A0272-6v	A227-6v	A2272-6v	A8227-6v	A82272-6v	A627-6v	A6272-6v	A527-6v	A5272-6kv
		32A	7P	500V	A027-7v	A0272-7v	A227-7v	A2272-7v	A8227-7v	A82272-7v	A627-7v	A6272-7v	A527-7v	A5272-7kv






												
CONTAINER DUAL INTERLOCKED SSO GREY LID	COMPACT DUAL INTERLOCKED SSO PANEL MOUNT OPTION	COMPACT DUAL INTERLOCKED SSO PANEL MOUNT OPTION	DUAL INTERLOCKED SSO 7 SERIES	DUAL INTERLOCKED SSO 7 SERIES	DUAL INTERLOCKED SSO 7 SERIES WITH 5 DIN MCB WINDOW	DUAL INTERLOCKED SSO 7 SERIES WITH 5 DIN MCB WINDOW	PLUG EVENT BLACK	PLUG EVENT BLACK	FLANGED PANEL MOUNT EVENT APPLIANCE INLET BLACK	COUPLER EVENT BLACK	COUPLER EVENT BLACK	FLANGED PANEL MOUNT EVENT OUTLET BLACK
IP66/67	IP44	IP66/67	IP44	IP66/67	IP44	IP66/67	IP44	IP66/67	IP44	IP44	IP66/67	IP44
NA	A6113-6k	A61132-6k	A7513-6	A75132-6	A7613-6	A76132-6	A013-6x	NA	A613-6x	A2135-6x	NA	A313-6x
NA	A6114-9k	A61142-9k	A7514-9	A75142-9	A7614-9	A76142-9	NA	NA	NA	NA	NA	NA
NA	A6115-9k	A61152-9k	A7515-9	A75152-9	A7615-9	A76152-9	NA	NA	NA	NA	NA	NA
NA	A6114-6k	A61142-6k	A7514-6	A75142-6	A7614-6	A76142-6	A014-6x	NA	A614-6x	A2145-6x	NA	A314-6x
NA	A6115-6k	A61152-6k	A7515-6	A75152-6	A7615-6	A76152-6	A015-6x	NA	A615-6x	A2155-6x	NA	A315-6x
NA	A6114-7k	A61142-7k	A7514-7	A75142-7	A7614-7	A76142-7	NA	NA	NA	NA	NA	NA
NA	A6123-6k	A61232-6k	A7523-6	A75232-6	A7623-6	A76232-6	A023-6x	NA	A623-6x	A2235-6x	NA	A323-6x
NA	A6124-9k	A61242-9k	A7524-9	A75242-9	A7624-9	A76242-9	NA	NA	NA	NA	NA	NA
NA	A6125-9k	A61252-9k	A7525-9	A75252-9	A7625-9	A76252-9	NA	NA	NA	NA	NA	NA
NA	A6124-6k	A61242-6k	A7524-6	A75242-6	A7624-6	A76242-6	A024-6x	NA	A624-6x	A2245-6x	NA	A324-6x
NA	A6125-6k	A61252-6k	A7525-6	A75252-6	A7625-6	A76252-6	A025-6x	NA	A625-6x	A2255-6x	NA	A325-6x
A0618	NA	A61242-3	NA	A75242-3	NA	A76242-3	NA	NA	NA	NA	NA	NA
NA	A6124-7k	A61242-7k	A7524-7	A75242-7	A7624-7	A76242-7	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	A753325-6	NA	A763325-6	NA	A033-6xs	NA	NA	A2355-6xs	NA
NA	NA	NA	NA	A753425-9	NA	A763425-9	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	A753525-9	NA	A763525-9	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	A753425-6	NA	A763425-6	NA	A034-6xs	NA	NA	A2345-6xs	NA
NA	NA	NA	NA	A753525-6	NA	A763525-6	NA	A035-6xs	NA	NA	A2355-6xs	NA
NA	NA	NA	NA	A753425-7	NA	A763425-7	NA	NA	NA	NA	NA	NA



Enquire about
our Custom Reel
Solutions



AMPCO METAL CEE TO SANS/IEC 6039-1+2

<p>AMPCO</p> <p>Manufactured to SANS/IEC 60309-1&2 and carry the MASC approval. Made of high pressure cast aluminium. Recommended for severe working conditions such as mining, heavy industry and harbours.</p>																	
				PLUGS		SSO INTERLOCKED		SSO WITH CIRCUIT BREAKER		SSO WITH EARTH LEAKAGE		SSO WITH INTERGRATED CIRCUIT BREAKER		SSO WITH CIRCUIT BREAKER & EARTH LEAKAGE		SSO WITH CIRCUIT BREAKER & EARTH LEAKAGE	
Rated Current	No of Poles	Rated Voltage	Hour h	IP66/67	IP44	IP44	IP44	IP44	IP66/67	IP44	IP66/67						
32A	2P+E	400V	6	NA	On Request	On Request	On Request	On Request	NA	NA	NA						
	3P+E		6	NA	A1139	A1143	A1145	NA	NA	NA							
	3P+N+E		6	NA	A1138	NA	NA	NA	NA	NA							
32A	2P+E	500V	7	NA	On Request	On Request	On Request	On Request	NA	NA	NA						
	3P+E		7	NA	A1140	A1144	A1146	NA	NA	NA							
	3P+N+E		7	NA	A1137	NA	NA	NA	NA	NA							
63A	3P+E	400V	6	A1108	A1109	A1110	A3120	NA	A3112	NA							
	3P+N+E		6	A1117	A1118	A1120	A3122	NA	A3114	NA							
	3P+E	500V	7	A1113	A1114	A1116	A3121	NA	A3113	NA							
	3P+N+E		7	A1122	A1123	NA	On Request	NA	NA	NA							
125A	3P+E	400V	6	A1127	A1100	A1101	NA	A1101	NA	A2687							
	3P+N+E		6	A1128	A1105	A1107	NA	A1107	NA	On Request							
	3P+E	500V	7	A1126	A1102	A1104	NA	A1104	NA	A2688							
	3P+N+E		7	A1134	A1133	On Request	NA	On Request	NA	On Request							

<p>AMPCO</p> <p>Manufactured to SANS/IEC 60309-1&2 and carry the MASC approval. Made of high pressure cast aluminium. Recommended for severe working conditions such as mining, heavy industry and harbours. For EX ZONE 2 CLASS 1 Division 2 locations complies with SANS 970-1971 Certified.</p>												<p>AMPCO</p> <p>AMPCOVA AMPLAST Socket Outlets & Plugs. Moulded in plastic. Only to be used in existing installations as a replacement as per SANS 0142.</p>						
				PLUG EXPLOSION PROTECTED ZONE 1		SSO EXPLOSION PROTECTED ZONE 1		PLUG EXPLOSION PROTECTED ZONE 2		SSO EXPLOSION PROTECTED ZONE 2						SSO AMPCOVA		PLUG AMPCOVA
Rated Current	No of Poles	Rated Voltage	Hour h	IP66/67	IP66/67	IP66/67	IP66/67	Rated Current	No of Poles	Rated Voltage	IP44	IP44						
63A	3P+E	500V	7	A0650	A0147	A0650	A0646	16A	3P+E	400V	A1241	A1240						
								25A	3P+E		A1243	A1242						



AMPCO METAL DIN FLAT OVAL 49449

AMPCO

Manufactured to DIN 49449/50/51 and carry the MASC approval. Made of high pressure cast aluminium. Recommended for severe working conditions such as mining, heavy industry and harbours. This range of socket outlets is only to be used in existing installations as a replacement in terms of SANS 0142



PLUGS



COUPLER



SSO FRONT OPERATED



SSO WITH INTERGRATED CIRCUIT BREAKER



SSO SIDE OPERATING HANDLE



SSO WITH CONTACTOR & OVERLOAD



SWEDISH PLUG 3P+SCRAPING EARTH



SSO SWEDISH FRONT OPERATED WITH SCRAPING EARTH

Rated Current	No of Poles	Rated Voltage	IP44	IP44	IP44	IP44	IP44	IP44	IP44	IP44
25A	3P+E	400/550V	A1206	A1205	A1207					
	3P+N+E		A1209	On Request	A1210					
40A	3P+E	400/550V	A1212	A1211	A1213					
	3P+N+E		A1215	On Request	A1216					
63A	3P+E	400/550V	A1218	A1217	A1219	A1221			A1900	A1901
	3P+N+E		A1223	On Request	A1224	On Request			A1904	A1905
100A	3P+E	400/550V	A1201	A1200			A1202			
				On Request						
250A	3P+E	400V	A1227	A1009	A1233		A1226	A1003		
	3P+N+E		A1239	On Request	A1234		A1249	On Request		
250A	3P+E	550V	A1010	On Request	A1006		A1004	A1220		
				On Request	A1235			On Request		
400A	3P+E	550V	A1013 ECO	On Request	A1005		A1012			
	3P+N+E		A1245 ECO	On Request	A1236		A1229			
400A	3P+E	550V	A1011 XL	On Request						
	3P+N+E		A1246 XL	On Request						
630A	3P+E	550V	A1018		A1019					
	3P+N+E				A1237					

AMPCO

WHY ARE WE NO.1

WE HAVE QUALITY PRODUCTS
WE SERVICE COUNTRYWIDE
WE HAVE THE WIDEST RANGE OF SOLUTIONS

PLEASE ASK FOR RELEVANT PRICES AND CATALOGUES!



Head Office

+27 11 271 0000
info@powermite.co.za

Cape Town

+27 21 951 1505
powermite.ct@powermite.co.za

Richards Bay

+27 35 751 1213/6
powermite.rbay@powermite.co.za

Rustenburg

+27 14 592 2209
powermite.rburg@powermite.co.za

Witbank

+27 13 692 3448/9
powermite.witb@powermite.co.za

Pinetown

+27 31 700 6830/4
powermite.dbn@powermite.co.za

www.powermite.co.za

Selection Chart Ver 1-8-2024