



Freedom to customise your lift design

Cibes

OPTIONS FOR LIFT MODELS CIBES AIR, CIBES A4000,
CIBES A5000, CIBES A8000 AND CIBES C1 PURE





Cibes Air – Shaft, and doors and front panel powder coated in Quartz 2, platform back panel in bamboo, front panel in DecoLegno® Nero, handrail and top safety bar in Jet Black RAL 9005 GU5.

Customisation that makes a difference

We are delighted that you are considering buying a lift from us. Our lifts are robust and reliable products that will last for decades. That makes it even more important to invest in a design that you will be happy with for many years to come. A vibrant colour or a fully glazed shaft can transform your lift into a striking design piece that brings the whole room to life. And options like automatic door openers and remote call buttons can make a world of difference to users with mobility issues. Lift customisation can make a difference on so many levels and that is why we offer such a wide range of design options and accessories.

Take a moment to go through our options and accessories to decide what choices are right for you.

C O N T E N T S

Lift shaft & doors	4	17	Telephones & accessibility options
Colours & materials	7	20	Optimised drive system
Flooring & glazing	8	22	Options for heavy duty lifts
Cibes Air design concepts	10	23	Finishing touches
Lighting & mirrors	15	24	Options for outdoor lifts



This brochure gives an overview of our most popular options and accessories, but there are more on offer. Please contact your local Cibes dealer for information. All images of lifts, materials, and colour samples in this brochure are for inspirational purposes only. For critical colour matches, we advise you to use physical colour or material samples.

Lift shaft & doors

Shaft alternatives for platform lifts

Our platform lifts (Cibes Air, Cibes A4000, Cibes A5000, Cibes A8000) are always delivered with a ready-made lift shaft so that you do not need to build one unless you really want to. The lift shaft is made of steel panels as standard but is also available with glazed panels.



Shaft with steel panels to the right and with glazed panels to the left. For platform lifts Cibes A4000, Cibes A5000 and Cibes Air it is possible to glaze all four sides of the lift shaft, for a spectacular panoramic view.

Shaft alternatives for cabin lifts

For cabin lift Cibes C1 Pure you have the possibility to order the lift with or without our ready-made shaft, depending on what type of installation you have in mind. Our ready-made lift shaft is delivered in steel panels as standard but is also available with glazed panels.



From left to right: cabin lift with steel panels, glazed panels or without ready-made shaft. The shaftless option is perfect for lifts installed inside an existing or site-built shaftway.

Door models for platform lifts

For platform lifts Cibes A4000, Cibes A5000 and Cibes Air, you have the choice of many different door models: steel doors, steel gates, aluminium doors, or fire rated EI60 doors. Steel gates are only available for the top floor and lifts with a maximum travel of 3 metres, in accordance with European Safety Standards.



A20/EI60G*
Steel door



A10/EI60*
Steel door



A25
Steel gate



A15
Steel gate



AL5
Aluminium door



AL6
Aluminium door

* The design of our steel doors and fire rated EI60 doors looks identical.

Door models for cabin lifts

Cabin lift Cibes C1 Pure offers you several telescopic sliding door models to choose from: Sliding doors in steel, glazed sliding doors or fire rated. For fire rated sliding doors, the call button must be placed on the wall next to the lift not to compromise the fire rating.



CS0
Sliding door in steel



CS1
Glazed sliding door



CSEI60
Fire rated sliding door

Note: Fire rated doors EI60G, EI60 and CS0EI60 must be combined with a site-built lift shaft with the same fire rating. Cibes ready-made lift shafts are not fire rated. Fire rated sliding door CSEI60 requires a remote call button.

Door accessories

Our lift doors come with a wide range of accessories designed for increased accessibility, comfort and safety.

Concealed door openers

Our concealed door openers are integrated with the door frame and completely invisible. Concealed door openers are available for all platform lift models, except for the Cibes A8000.



Externally fitted door openers

Our externally fitted door openers are robust enough to take the weight of the large doors of platform lift Cibes A8000. These automatic door openers are a great option for all heavy-duty lifts.



Other door accessories



Standard call button



Touchscreen call button



Remote call button



Remote wireless elbow button



Level indicator for the doors

Lock solutions

We provide a range different types of locks to cater to different needs and requirements. Our classic key locks include our own standard lock, as well as Euro cylinder lock and ASSA lock solutions, but we also offer code locks and tag locks. For more information, please contact your Cibes dealer.



Key lock example



RFID tag lock



Code lock

Lock programming

The locking device is only one aspect. It is the lock programming that determines how your lock system works. We offer you the choice between two main types of lock programming:

Auto lock programming

automatically locks all lift doors after a preset delay, after which the lift is accessible to key holders only.

Central lock programming


locks all lift doors via a chosen central locking device and unlocks all doors via the same locking device.

For more details about lock programming, please contact your Cibes dealer.

Colours & materials

Powder coating


For the lift shaft, shaft ceiling, doors, standard call buttons, and platform, we offer you a total of almost 300 Classic RAL Colours and premium colours to choose from.



*Standard colours for the Cibes A5000 and Cibes A4000. White close to RAL 9016, GU 30 and black close to RAL 9011, GU 30.

Cabin interior

The cabin walls of the Cibes C1 Pure is available in eight different high-quality laminates; from pure white to wood and brushed metal finishes. The corner profiles of the lift cabin are delivered in Jet Black RAL 9005 as standard.



Flooring & glazing

Flooring of Cibes A4000/A5000/Air/Outdoor Lift and Cibes C1 Pure

We offer you a collection of 9 sustainable safety floorings. For the Cibes A4000, Cibes A5000 and Cibes Air, you also have the option to order the platform without flooring to put in your own vinyl flooring or carpet. In addition, these platform lift models can be customised with tiles or wood laminate. Platform lifts with customised tiles or laminate flooring require a 70 mm deep pit.



Black pitch




Original Umber



Star Snow




Wood Natural Oak




Wood Whitewashed Oak




Black Seagrass




Original Concrete



Aqua Umber



Stone Speckled Grey



Customised flooring

Flooring of Cibes A8000

Goods lift Cibes A8000 is delivered with a very durable safety flooring as standard but is also available with a robust floor in aluminium chequered plate, as an option.




Nearly Black Pitch




Chequered plate

Glazing for lift shaft and doors

The glazing of the lift shaft and doors is tempered and laminated safety glass (4.0 mm + 0.76 mm PVB foil + 4.0 mm). That means that the glazing is very robust and that the PVB foil prevents the glass from shattering into pieces. We offer you the choice between clear glass or a range of elegant, tinted shades.



Clear glass



Arctic Snow




Polar White



Light Fume Brown



Dark Fume Brown



Light Fume Grey



Dark Fume Grey



Cibes Air – Shaft, doors, back panel and front panel powder coated in Anodic Gold, handrail and top safety bar in Jet Black RAL 9005, GU5 and customised, tiled flooring.

Cibes Air® design concepts

The Cibes Air offers you the freedom to create a lift design that reflects your unique sense of style. Choose sleek metal, warm wood or soft textile as a base and just build it from there. Our great choice of colours and materials enables your Cibes Air to blend in seamlessly into any interior.



"Simplicity is the soul of modern elegance."

Bill Blass



Cibes Air Metal

Offers you a very clean and timeless look, as well as almost infinite design possibilities in terms of colour combinations.



Cibes Air Textile

Covers the platform back panel with elegant, light blue linen or warm, grey wool to add a soft and sophisticated touch to your lift.



Cibes Air Wood

Gives you the choice between blonde oak or honey coloured bamboo, two elegant woods with a distinctively different character and grain.

"People crave the visual and tactile richness of fabrics."

Suzanne Tick



Cibes Air back panel

Cibes Air front panel

Cibes Air – Shaft, doors and front panel powder coated in Copper Glimmer, platform back panel in grey wool, handrail and top safety bar in natural, anodised aluminium.

Cibes Air® options

Cibes Air back panel

The Cibes Air platform back panel is available in 3 different materials:

- **Metal:** back panel in close to 300 RAL and premium colours
- **Textile:** back panel in light blue linen or grey wool
- **Wood:** back panel in oak or bamboo

Metal



RAL 9005



Vintage Red




Wool



Linen



Oak



Bamboo

Textile

Wood


Cibes Air front panel

For the front panel of the Cibes Air you have the choice between metal in close to 300 RAL and premium colours, or white, black, or beige DecoLegno®. DecoLegno® has a matte, velvety surface, which is soft to the touch, yet easy to clean and resistant to scratches.

Metal




RAL 5009



RAL 7024




Flamed Steel



Total White



Nero



Beige

DecoLegno®



Handrail and top safety bar

The handrail and top safety bar of the platform are available in any RAL or premium colour. In fact, almost all elements of the Cibes Air platform can be customised to blend in seamlessly into your interior.

For information about shaft materials, door models, flooring, and lighting, we refer you to our general chapters.

"A tree's wood is also its memoir."

Anne Hope Jahren

Cibes Air platform lift with platform back panel in bamboo and tinted glazing in Light Fume Brown, finished in standard white, close to RAL 9016.

Lighting & mirrors

Lighting options

Nothing brings your lift design to life like beautiful lighting. We offer you several options of exquisitely designed lighting features.

Ceiling options for platform lifts

We provide two ceiling options for platform lifts: One without lighting and one with durable and energy-saving LED lighting.



Plain ceiling (no lighting)



Ceiling with LED light diodes

Ceiling options for cabin lifts

For the Cibes C1 Pure, we offer two ceiling options, both with durable and energy-saving LED technology: Ceiling with LED light diodes and a LED light diffuser ceiling.



Ceiling with LED light diodes (120 LUX)



LED light diffuser ceiling (250 LUX)

Floor safety edges with LED

The Cibes Air is available with LED lit floor safety edges. This elegant lighting option adds a futuristic edge to your lift design and makes sure that you always travel in style.



Mirror options

Mirrors will enhance the beauty of your lift but are also an important visual aid for wheelchair users, when entering and exiting the lift.

Mirror options for platform lifts

Platform sizes 900 x 1467, 1000 x 1467 and 1100 x 1467 mm of the Cibes A5000 are available with a 2.2-metre-high control panel wall with overhead lighting and a large mirror (see image to the right).

Mirror options for cabin lifts

The Cibes C1 Pure offers you the choice of three mirror alternatives: mirror wall side A/C, wall mounted mirror side B, and wall mounted mirror side A/C. While the mirror wall is a stylish option that makes the cabin interior feel more spacious, the wall mounted mirrors provide better visual guidance for wheelchair users (see images and table below).



Mirror wall A/C



Wall mounted mirror side B




Wall mounted mirror side A/C

Cabin Size W x D, mm*	Mirror Wall A/C W x H, mm	Wall Mounted Mirror B W x H, mm	Wall Mounted Mirror A/C W x H, mm
900 x 950	900 x 2130	700 x 1144	700 x 1144
900 x 1200	900 x 2130	700 x 1144	700 x 1144
900 x 1400	900 x 2130	700 x 1144	700 x 1144
1100 x 1200	1100 x 2130	700 x 1144	900 x 1144
1100 x 1400	1100 x 2130	700 x 1144	900 x 1144
1100 x 1700	1100 x 2130	700 x 1144	900 x 1144

* Width = side A/C, Depth = side B

Telephones

The emergency telephone is an important safety feature. Most of our lift models include a standard emergency telephone, but you can also choose one of our optional telephone systems (see images to the right), or order the lift prepared for your own telephone solution.



Integrated telephone

Auto dialler for landline or GSM with preset numbers.



Aiphone interphone

Connects the caller to an internal front desk or similar.

Accessibility options

To ensure that our lifts are easy to access and use for all passengers, regardless of age and physical ability, we provide a range of options with focus on comfort and accessibility.

Call buttons

We provide extra-large, EN 81-70 compliant call buttons that can be placed either on the door frame or remotely. In addition, we offer a special kind of remote call button that is often called an “elbow button”, simply because people generally use their elbows to activate it.

Why choose remote call buttons?

Remote call buttons allow wheelchair users to call the lift and wait for it at safe distance from the lift door when it swings open at lift arrival. To ensure that the remote call buttons are placed at a suitable height for wheelchair users, please consult the accessibility standards of your country or ask your Cibes dealer for advice.



50 x 50 mm call button

Extra-large call button, available with remote box and cable.



Wireless elbow button

Wireless elbow button designed for remote installation.

Horizontal control panel for cabin lifts

The Cibes C1 Pure is available with an inclined, horizontal control panel that has extra-large push buttons with Braille. This control panel is compliant with accessibility standard EN 81-70 and comes with an elegant service panel in brushed stainless steel.



Double control panels for cabin lifts

In some countries, the lift must be equipped with control panels on both sides of the lift cabin to comply with accessibility standards. For that reason, the Cibes C1 Pure is available with double control panels as an option.



Other accessibility options

Even small additions can make a big difference to enhance the accessibility and comfort of your lift design.

Folding seat

The folding seat is made of beech and stainless steel and can take a load of 150 kg. It automatically folds back up when not in use. Available for the Cibes A5000 in platform sizes 900 x 1467, 1000 x 1467 and 1100 x 1467 mm (width x depth).

Level indicators

It is possible to place our level indicators both on the landing doors and on the passenger platform. They are a great visual aid for hearing-impaired passengers, displaying both lift floor and direction of travel.



Folding seat

Infrared controls

The wireless remote control with infrared transmission is composed of a hand-held control device and one or several transmitters installed on the landings. This option is particularly useful for individuals lacking the upper body strength to reach the normal controls of the lift, as the device is manipulated from the lap. Available for lifts with a maximum of 4 stops.

Voice announcement

This option provides passengers with information spoken in a human voice. This is a very useful feature for visually impaired lift passengers. We offer standard and extended voice announcement in a wide range of languages. Extended voice announcement often includes instructive messages and warnings. Please contact your Cibes dealer for more information.

Arrival gong

The arrival gong is an audible signal that is emitted when the lift reaches the landing. It has the double function of telling lift passengers that the lift has arrived and informing bystanders that the doors will open.



Level indicators



Infrared lapheld controls

Cibes A5000 platform lift with steel shaft and gate on the top floor, finished in Anthracite Grey RAL 7016.

Access ramp

For pitless installations of platform lifts Cibes A5000, Cibes A4000 and Cibes Air, an access ramp is available as an option. The access ramp bridges the level difference between the lift floor and the floor at the bottom landing.



Other important accessibility options

Lighting, mirrors and automatic door openers are examples of other important options for passengers with disabilities. Please consult our previous chapters for more information about these options.



Optimised drive system

We always strive to make our lifts as energy-efficient as possible, both when operating and idle. However, some lift projects have extra-high requirements and that is why we have developed our optimised drive system Cibes EcoSilent.

Cibes EcoSilent

It was the beauty and serenity of Swedish nature that inspired our engineers to develop the optional Cibes EcoSilent drive system. The result is a sustainable drive system, optimised for reduced energy consumption and exceptionally smooth and quiet lift operation. Cibes EcoSilent is available as an option for platform lifts Cibes A4000, Cibes A5000, and Cibes Air.

Energy label A

Compared to our standard drive system, Cibes EcoSilent reduces friction by as much as 90%, which maximises the energy efficiency of your lift. Lifts equipped with the Cibes EcoSilent drive system carry Energy Label A and consume 45% less energy than lifts without. On a yearly basis, the energy consumption of a Cibes EcoSilent lift is the same as for a modern washing machine, or about 215 kWh/year.*



Smooth and quiet operation

You should have the freedom to use your lift whenever you want, without worrying about disturbing anyone else. Cibes EcoSilent makes lift operation so smooth quiet that it blends in with the sounds of everyday life. Just a few metres from the lift, the sound generated is 40 dB** which is comparable to the sound level of a quiet library.

*Yearly energy consumption based on a 2 stop lift with 3.6 m travel, equipped with EcoSilent and a frequency of use of 20 travels/day. Energy classification according to VDI 4707 Part 1: 2009. Tests conducted by Liftinstituut B.V. www.liftinstituut.com.

**Decibels measured 2 m from the lift, at constant speed and with a 150 kg load. All tests conducted by Springwell Audio AB, member of the Swedish Acoustical Society, www.springwellaudio.se.



Continuous innovation

Our talented product developers are continuously driving innovation towards more comfortable, durable and energy-efficient lifts. The development of the Cibes EcoSilent drive system started in Sweden, but today we also have R&D centres in China and the USA. Our R&D teams are working closely together to find new, innovative solutions that make our lifts smarter and more sustainable.



Intelligent programming

Fire drive

The fire drive function is connected to your fire alarm. The programming automatically sends the lift to a preset landing when the fire alarm is activated.



Options for heavy-duty lifts

Many public and commercial lifts are subjected to more wear and tear than lifts installed in small office buildings or private homes, for example. But you can protect your lift and make it last longer, just by adding a few features.

Kick plates for doors

The kick plates in stainless steel will help protect the doors of your lift from dents and scratches. Kick plates are placed at the bottom of the interior side of the door leaves. Available for the Cibes A5000 and Cibes A8000.

Raised curb on platform

Raised curb means that one or several sides of the platform floor are equipped with raised edges. The raised curb helps protect the shaft walls against damage from trolleys and pallet trucks. Available for the Cibes A5000 and Cibes A8000.

Aluminium flooring


Our aluminium flooring in chequered plate is the perfect choice for heavy-duty lifts, as it is extremely hard-wearing and durable. Available for the Cibes A5000 and Cibes A8000.



Kick plates for doors



Raised curb on platform



Aluminium flooring



Finishing touches

To give your lift a clean and polished look, we offer a range of options for the final touches.

Finishing profiles

We offer you finishing profiles in aluminium to fill the floor and ceiling gaps around lift. The finishing profiles are particularly useful for lifts with through-the-floor installation, but we recommend them for the top and bottom floor of all lift installations. For more information, please contact your Cibes dealer.



Finishing profiles

Powder coated rear side of platform

This is a great option for lifts with fully glazed lift shafts where the machinery side is visible. Powder coating of the rear side of the platform always matches the colour of the lift shaft and gives the lift a polished and elegant look.



Powder coated rear side

Fixing brackets

Some lift installations may need additional support and that is exactly what our fixing brackets provide. U brackets provide a very sturdy support. Angle brackets and ceiling brackets are other smaller but very efficient solutions for horizontal and vertical support.

Pit plate

The pit plate is a metal plate that covers the floor of the lift pit. It is an elegant finishing touch for lifts where you see the lift pit through the glazed lift shaft.

The powder coating of the pit plate matches the colour of the lift shaft.



U bracket

Cover plate under platform

This cover plate conceals the underside of the platform and gives it a clean and polished look. The cover plate is powder coated in the same colour as the lift shaft and is a great option for glazed lifts.

Machinery roof

Even if you select a shaft ceiling for your lift, the top of the machinery side is uncovered. The machinery roof protects the integrated machine room from dust and other particles.



Our services

We provide customer support in more than 70 countries across all continents. Our certified dealers are trained to help you through all the steps of buying a lift – from design advice and planning all the way through to delivery, installation and maintenance contracts. Contact us today to get in touch with your closest Cibes dealer.

Options for outdoor lifts

We offer you one of the most complete outdoor lift concepts in the market. Outdoor lifts with our standard concept can handle most weather conditions and adapt to a wide range of architectural styles, but we also provide a wide range of options and accessories to enhance the design.

Cibes Outdoor Lift – Lift powder coated in Jet Black RAL 9005, equipped with an inclined outdoor roof, plexiglas canopies and AL5 aluminium doors.



Protection against rain and snow

The electronic components of your lift need to be well protected against rain and snow. We provide a choice of door canopies and adaptable roof configurations to cater to most needs.

Outdoor roof

The roof is designed to handle rain and snow (3kN/m², snow zone 3). The slope of the roof can be configured in 3 directions.




Snow fence

The snow fence is a useful safety feature that protects lift users from large amounts of snow sliding off the outdoor roof.


Gutter-ready roof

The outdoor roof is available with fixings to facilitate the installation of a gutter and drainpipe to evacuate rainwater and snow.




Drip plate

Placed at the base of the lift shaft, the drip plate offers your outdoor lift a simple but efficient protection by leading rainwater away from the lift.



Plexiglas canopy

The plexiglas canopy has a discreet and elegant design, ideal for regions that are subject to light rain and snow.



LED lit plexiglas canopy

The LED light is a welcoming feature that illuminates the lift entrances and the immediate surroundings of the lift.



Steel canopy

The steel canopy has a very robust design, perfect for regions that are subject to heavy rain and snow.


Options for temperature control

In demanding climates, additional features for temperature control may be necessary to protect the electronic components and make sure that your lift is comfortable to use.




Lift ready for air conditioning

Cibes outdoor lifts are available with an air con ready option that includes a connection box to facilitate air con installation.



Fan heater

This option protects your lift by making sure that the temperature of the machine room remains ambient even in cold weather.



Heating pads

The heating pads warm the door lock mechanisms and prevent them from freezing, even in very cold temperatures.

Colour and glazing



Colours and glazing are options that will make your outdoor lift blend in with the colour scheme and architectural style of your property. Almost all elements of the lift can be powder coated according to your preference.

In addition, we also offer you a range of tinted glazing options for the lift shaft and doors.




Colourful designs

Our outdoor lifts are available in close to 300 RAL and premium colours to match your taste and the architectural requirements of any building. This lift is painted in Moss Green RAL 6005 to match the window frames and railings of the old industrial building.




Tinted glazing


The glazing of the lift shaft and doors is tempered and laminated safety glass (4.0 mm + 0.76 mm PVB foil + 4.0 mm). For outdoor lifts the glazed lift shaft panels are equipped with a rubber seal to prevent water infiltration. All glazed elements are available in a range of elegant tints, from clear or white glass to dark grey and brown tints.




Clear glass




Arctic Snow




Polar White




Light Fume Brown



Dark Fume Brown



Light Fume Grey



Light Fume Grey

Cibes Outdoor Lift – Lift with steel canopies, AL5 aluminium doors, and glazed shaft. Finished in standard white close to RAL 9016 and natural aluminium.



BRINGING PEOPLE TOGETHER

That is what we do and what we are all about.

We create lift solutions for greater comfort and joy in life.

Founded in Sweden in 1947, Cibes Lift is a world-leading manufacturer of space-saving, ready-made lifts. High-quality Swedish engineering and Scandinavian design are the secrets behind our success. Today, we are a part of Cibes Lift Group, a global company group with production facilities in Sweden, Poland, USA and China. Sales, installation, and maintenance services are offered by a network of subsidiaries and partners, spread across all continents.

PROUD PARTNER AND RESELLER OF CIBES



www.sharpselectrical.co.bw

Gaborone:

Plot 1235 Haile Selassie Rd, Botswana.

P.O. Box 603. Phone: (+267) 395 2341, Fax: (+267) 395 1416,

WhatsApp: (+267) 75 506 080. Email: salesgabs@sharps.co.bw

Francistown:

Plot 1534 Mabuasehube Rd, Botswana.

P.O. Box 1206. Phone: (+267) 241 2349, Fax: (+267) 241 4197,

WhatsApp: (+267) 78 432 493. Email: salesftown@sharps.co.bw

Cibes

www.cibeslift.com